
JSFON



OC-VC series

Product Specification

Product	3535VCSEL Emitter
Part Number	OCVC35-1190V8510-V6
Issue Date	2019/10/14



Features

- Vertical Cavity Surface Emitting Laser technology
- Package size = 3.5mm x 3.5mm x 1.6mm
- Pulse Output power 1W emitter
- Peak wavelength λ_p =850nm
- Divergence angles= 110°x90°
- Wavelength stabilized (0.07nm per °C)
- Narrow spectral width (<1nm)
- RoHS

122

Applications

- 3D depth sensing
- Gesture sensing
- Flood illuminator



SEONI

Product Nomenclature

The product name is designated as below:

<u>OCVCAB</u> – <u>CDEFGHIJK</u>

Designation:

OCVC = Orient-Chip Technology Co.,LTD VCSEL Series Product. AB = Package size $_{(1)}$ CDEF = Divergence Angle $_{(2)}$ G = Internal Code HI = Wavelength $_{(3)}$ JK = Pulse mode Output Power $_{(4)}$

Notes

1. Package	e Size:	
Symbol	Description	
35	3.5mm x 3.5mm	

2. Divergence Angle:

J	5
Symbol	Description
5040	50° x 40°
6045	60° x 45°
7258	72° x 58°
9070	90° x 70°
1190	110° x 90°

3. Wavelength:

Symbol	Description
85	850nm
94	940nm

4. Pulse mode Output Power:

Symbol	Description
05	0.5W
10	1W
20	2W
30	3W
40	4W



Maximum Ratings (Ta = 25 °C)

Parameter	Symbol	Values	Unit
Operating temperature range	T _{op}	-20 ~ 85	°C
Storage temperature range	T _{stg}	-40 ~ 85	°C
Maximum package SMT solder Reflow temperature		260°C 10seconds	°C

<u>Characteristics(Ta = 25 °C)</u>

Parameter	Symbol	Condition	Min.	Тур.	Max.	Unit
Pulse Output power	Po	I _F = 1.35 A	900	1100	_	mW
Wavelength	λ_{p}	I _F = 1.35 A	840	850	860	nm
Forward Voltage	Vf	I _F = 1.35 A	1.7	2.0	2.3	V
Threshold current	l _{th}		-	180	300	mA
Power Conversion Efficiency	PCE	I _F = 1.35 A	-	39	-	%
Wave Shift	∆λ/∆Τ	I _F = 1.35 A	-	0.07	-	nm/°C
Slope Efficiency		N	-	0.94	1.05	W/A

Note:

- Forward Voltage tolerance is ±0.1 V, Radiant Intensity tolerance is ±10% Others measurement allowance is ±10%.
- 2. VCSEL is mounted on PCB and measured with operating bias current @ 1.35A,10ms
- 3. Due to the special conditions of the manufacturing processes of VCSEL, the typical data of technical parameters can only reflect statistical figures. These do not necessarily correspond to the actual parameters of each single product, which could differ from the typical data or the typical characteristic line. If requested, e.g. because of technical improvements, these typ. data will be changed without any further notice.



Radiometric Power Bin Structure at 1350mA

olor	Bin Code	Minimum Radiometric Power (mW)	Typical Radiometric Power (mW)
d 850	A1	900	1100
		e of $\pm 10\%$ on flux and power measure may be modified for improvement with	
			(070 4
Реак	wavelen	<u>gth Bin Structure at</u>	<u>1350mA</u>
Deak Color	Bin Code	Centroid Wavelength	<u>1350mA</u>
		~	<u>1350mA</u>


Color	Bin Code	Typical Voltage (V)	Maximum Voltage (V)
Infrared 850	A1	2.0	2.3

• OCS maintain a tolerance of ±0.1V for Voltage measurements.

CONFIDER




Divergence angles corresponds to the direction






Pulse Output Power vs. Forward Current

DRIENT-CHIP




Forward Voltage vs. Forward Current





Outline Dimension



Unit: mm Tolerance: ±0.1mm



Cleaning

- 1. If washing is required, recommend to use alcohol as a solvent.
- 2. Recommend to avoid cleaning the VCSEL by ultrasonic. If necessary, pre-test the VCSEL is necessary to confirm whether any damage occur after the process.

Precautions for use

1. Over-current-proof


1.1 Customer must apply resistors for protection; otherwise slight voltage shift will cause big current change (Burn out will happen).


2. Storage

- 2.1 Do not open moisture proof bag before the products are ready to use.
- 2.2 Before opening the package: The VCSEL should be kept at 30°C or less and 90%RH or less.
- 2.3 After opening the package: The VCSEL floor life is 1 year under 30°C or less and60% RH or less. If unused VCSEL remain, it should be stored in moisture proof packages.
- 2.4 If the moisture absorbent material (silica gel) has faded away or the VCSEL have exceeded the storage time, baking treatment should be performed using the following conditions. Baking treatment: 60±5°C for 24 hours.

3. Handling indications

3.1 During processing, mechanical stress on the surface should be minimized as much as possible. Sharp objects of all types should not be used to pierce the sealing compound. In general, VCSEL should only be handled at the housing. This also applies to VCSEL without a diffuser, since the surface can also become scratched.










4. Soldering Condition

4.1 Pb-free solder temperature profile (JEDEC-STD-020 latest version compliant)



- 4.2 Reflow soldering should not be done more than two times.
- 4.3 When soldering, do not put stress on the VCSEL during heating.
- 4.4 After soldering, do not warp the circuit board.

5. Soldering Iron

5.1 Each terminal is to go to the tip of soldering iron temperature less than 350°C for 3 seconds within once in less than the soldering iron capacity 25W. Leave two seconds and more intervals, and do soldering of each terminal. Be careful because the damage of the product is often started at the time of the hand solder.


6. Repairing

6.1 Repair should not be done after the VCSEL have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether the characteristics of the VCSEL will or will not be damaged by repairing.






■ <u>Carrier Taping</u>




spec	3.75±0.10	3.75±0.10	1.80±0.10	4.00±0.10	8.00±0.10	2.00±0.10	0.30±0.05
symbol	E	F	Do	D1	W	10Po	
spec	1.75±0.10	5.50±0.10	1.50+0.10-0.0	1.50±0.10-0.0	12.00±0.30	40.0±0.10	



7-inch Anti-Static Reel Max 500pcs/reel




Product Labeling



- P/N: OCS Product Model Name
- LOT: Lot Number
- QTY: Q'ty
- BIN: mW/nm/Vf (ex.[A1/85/V1])
- DATE: Enter the warehouse

Moisture Resistant Packing





Modified records

V0 New spec 2019/03/20 V1 Add Ith, Slope 2019/10/05 V2 Update spec 2019/10/14	Version	Description	Issue Date
V2 Update spec 2019/10/14	V0		2019/03/20
V2 Update spec 2019/10/14	V1	Add Ith, Slope	2019/10/05
ocs control minutes of the second	V2	Update spec	2019/10/14
		MILLA	AL